



Plug  **PGV**

Butterfly  **BTFY**

Ball  **BLV**

Gate  **GTV**

Globe  **GLB**

Check  **CKV**

Actuators  **ACT**



## Company Profile

Delta Valves is a young and dynamic Company operating in the production and marketing of field valves for industrial applications.


Our team of qualified engineers with over thirty years experience in the On-Shore and Off-Shore Valve Industry is the foundation for this rapidly growing company.


Strategically located within the Northern Italian Business Triangle, the company is closed to many forges, foundries and machine shops.

Direct links to the national road, rail and air networks ensures efficient worldwide distribution of DV's products.

DV's valves are made of a wide range of materials such as Carbon Steel, Stainless Steel (GG25, GG25 + Ni + Cr, GG40,

Bronze, Alu-bronze, Brass, A105N, LF2, S355JR, WCB, WC6, LCB, AISI 420, AISI 304L, AISI 316L, CF3M, CF8M, 250SMO, Duplex) and it can also be improved with materials such as Monel, Superduplex, Inconel, Halloy 20, Incolloy, Hastelloy and Titanium.





The Certificates that our Company achieved (PED, ISO 9001-2015, ATEX, Fire Safe) and the Standard respected in our valves manufacturing (ASME, ASTM, ANSI, MSS, NACE) guarantee the high quality of our products to the Customers. Our production, through the updated technology of our machine tools, can realise each valve detail.



Our strength is to realise a high design and quality product into a company which develops its valves starting from the design phase to the final manufacturing and marketing phase.

Our attention to the customer necessities, our flexibility and the reliability of our products are the main features of a production strictly "Made in Italy".




# Plug

**PGV 5L / PGV 5A**

**Size:** from 1/2" to 36".


**Rating:** from 150 to 2500 lbs.

**Type:** Autolubricated, Sleeve, Lubricated, Balanced Inverted Type.





 **BTFY**  
Butterfly



**Lug**

**BTFY 3 / BTFY 0W**  
**BTFY 2 / BTFY 1**


**Size:** from 2" to 78"

**Rating:** from 150 to 600 lbs.


**Type:** Triple Eccentric,  
Double Eccentric, Center Line,  
Damper.



**Center Line**



**Triple  
Eccentric**



**Damper**






# Ball

**BLV 4F / BLV 4T**

**Size:** from 2" to 48".

**Rating:** from 150 to 2500 lbs.

**Type:** Floating, Trunnion Mounted, Split Body, Side Entry, Top Entry, Fully Welded, Sub Sea.





 **GTV**  **GLB**  **CKV**

# Gate, Globe, Check

**GTV 6 / GLB 7 / CKV 8S**

**Size:** from 2" to 36".

**Rating:** from 150 to 2500 lbs.

**Type:** Straight Pattern,  
Y Pattern, Angle Type,  
Parallel Slide, Pressure Seal,  
Knife, Swing Check,  
Lift Check, Piston Check.



**Dual Plate - CKV 8DP**

**Size:** from 2" to 24".

**Rating:** from PN 10 / 16  
to ANSI 150 / 600.



**Tilting - CKV 8T**

**Size:** from 2" to 24".

**Rating:** from PN 10 / 16  
to ANSI 150 / 600.






# Actuators

All the valves can be fitted with a remote operated electric, pneumatic or hydraulic powered actuators with related accessories

(box limit switch, solenoid valves, filter auges, positioners etc.).



**Delta Valves srl**  
Via per Mesero, 6  
20002 Ossona (MI) Italy  
Ph. (+39) 0290380642



sales@deltavalves.it  
info@deltavalves.it  
[www.deltavalves.it](http://www.deltavalves.it)